

AC-Q42HB

Anti-Vandal Backlit PIN & Prox
Standalone Controller



THIS ADVANCED ANTI-VANDAL, 500 USER STANDALONE CONTROLLER FEATURES SHINY BLUE ILLUMINATED METAL KEYS FOR PIN CODE AND A BUILT-IN PROXIMITY READER FOR RFID USER CREDENTIALS. AC-Q42HB HAS A RUGGED METAL CONSTRUCTION IDEAL FOR HIGH TRAFFIC ENVIRONMENTS. THIS MODEL COMES WITH REMOVABLE TERMINAL BLOCKS, FOR QUICK INSTALLATION, AND HAS ADVANCED PROGRAMMING OPTIONS.

GENERAL DESCRIPTION

The AC-Q42HB anti-vandal controller has a unique combination of large backlit metal keys and a built-in heater. It offers a higher level of user accessibility in low light areas.

AC-Q42HB has an attractive profile, free from sharp edges, ideal for installations where style and functionality are highly important.

This feature-rich unit offers all weather operation, with flexible programming capabilities including a unique "code search" for simple user management.

Non-volatile memory protects the storage of user database, modes and parameters.

MAIN FEATURES

- Built-in 125 kHz RFID card reader
- 500 users can have PIN and / or RFID user credentials for granting access
- Highly-visible blue backlit keypad
- Smooth attractive design, with anti-vandal construction
- 3 operational Security Levels can be selected with special PIN codes
- Supports up to 8-digit PIN codes, with timed wrong code lockout after several wrong attempts

- 2 tri-colored LEDs and integral sounder for programming and operation
- Removable terminal blocks are used for connecting the wires to the unit

PROFESSIONAL GRADE FEATURES

- Optical tamper detection
- Automatic internal heater prevents key freeze at -20°C (4°F).
- 10 programmable modes for auxiliary input and output (2 Amp Form C Relay)
- 2 Amp Form C Lock Strike Relay, for fail-safe and fail-secure, with input for REX
- Supports: Door Ajar, Forced, Shunt, Monitor, and Secure mode
- Door bell key feature operation (from '*' key), with Rosslare's BL-D40 accessory

SPECIFICATIONS

ELECTRICAL SPECIFICATIONS

■ Operating Voltage Range	12 to 24 VDC, from a regulated power supply 16 to 24 VAC, from a transformer
■ Input Current	(Heater Off) Standby: 85 mA, Maximum: 145 mA, at 12 VDC (Heater On) Standby: 565 mA, Maximum: 625 mA, at 12 VDC
■ Relay Outputs	Lock Strike: 2A, N.O. and N.C. Auxiliary: 2A, N.O. and N.C.
■ Tamper	Optical back tamper sensor, O.C. active low 32 mA max sink current
■ Inputs	REX: N.O. Dry Contact Auxiliary (In/Monitor): N.O. Dry Contact, 10 programmable modes
■ Proximity Card Reader	Maximum read range*: 65 mm (2.5 in.) Modulation: ASK at 125 kHz Compatible cards: All 26-Bit EM Cards * Measured using Rosslare Prox Card AT-R14 or equivalent. Range also depends on electrical environment and proximity to metal.

OPERATIONAL SPECIFICATIONS

■ Capacity	500 users, single/dual code each
■ Keypad	3x4 keys for local programming and 4- to 8-digit PIN codes entry
■ User Levels	Normal, Secure, Master
■ Security Modes	Normal, Bypass, Secure
■ Audio/Visual	Interface for BL-D40 (bell, chime, and siren enunciator) Two tri-color LED indicators, built-in sounder
■ Design	Rugged metal enclosure, highly strong construction, blue backlit metallic keys. Suitable for extremely harsh environments.

ENVIRONMENTAL SPECIFICATIONS

■ Operating Environment	Water resistant, suitable for outdoor use, IP54 rated
■ Operating Temperature	-20°C to 60°C (-4°F to 140°F). Built-in heater to prevent key freezing
■ Operating Humidity	0 to 95% (non-condensing)
■ RFI Protection	> 20 V/m up to 1000 MHz

PHYSICAL SPECIFICATIONS

■ Dimensions	120 x 76 x 27 mm (4.72 x 3 x 1.06 in.)
■ Weight	440 g (1 lbs)

SYSTEM COMPONENTS

The AC-Q42HB is compatible with the BL-D40 alarm, chime and door bell enunciator/strobe unit, as well as with the EX-01 Push to Exit button.

PRODUCT WARRANTY

5-year Limited Product Warranty

ABOUT ROSSLARE SECURITY

Rosslare Security Products, a division of Rosslare Enterprises Ltd., has been manufacturing high-quality security products since 1980. The company's three main lines – Access Control, Intrusion Detection and Guard Patrol – together with a growing product range have transformed Rosslare Security into a major worldwide force in security. Rosslare holds itself to the highest standards of customer service and manufacturing (ISO 9001:2008, ISO 14001:2004, ISO 13485:2003). The company complies with the EU Directive 2002/95/EC on Restriction of Hazardous Substances (RoHS).

Visit our website: www.rosslaresecurity.com



ROSSLARE
SECURITY PRODUCTS
Experience The Difference